



***Eulobomyia*, a new replacement name for *Lobomyia* Woodley & Arnaud (Diptera: Tachinidae)**

NORMAN E. WOODLEY¹ & PAUL H. ARNAUD, JR.²

¹ Systematic Entomology Laboratory, PSI, ARS, USDA, % Smithsonian Institution NHB-168, P O Box 37012, Washington, DC 20013-7012, USA. E-mail: norman.woodley@ars.usda.gov

² Department of Entomology, California Academy of Sciences, 55 Concourse Drive, San Francisco, CA 94118, USA. E-mail: parnaud@calacademy.org

A new genus, *Lobomyia* Woodley & Arnaud (Diptera: Tachinidae), from the Neotropical Region was recently described by us (Woodley & Arnaud, 2008: 32; type species, *Lobomyia neotropica* Woodley & Arnaud; published 6 June 2008). At the time the manuscript was being prepared, one of us (NEW) checked available nomenclatural resources to ensure the generic name had not been previously used. However, in the interim, the name *Lobomyia* was published as a new genus of Diptera, Chironomidae from Japan (Niitsuma, 2007: 105; type species, *Lobomyia immaculata* Niitsuma; published 15 June 2007). We therefore propose a new replacement name here, *Eulobomyia*, nom. nov. for *Lobomyia* Woodley & Arnaud. The gender of the name is feminine.

We are grateful to Owen Lonsdale, Department of Entomology, Smithsonian Institution, for pointing out that *Lobomyia* Woodley & Arnaud was preoccupied.

References

- Woodley, N.E. & Arnaud, P.H., Jr. (2008) *Lobomyia neotropica*, a new genus and species of Tachinidae (Diptera) from the Neotropical Region. *Zootaxa*, 1783, 31–39.
- Niitsuma, H. (2007) *Rheopelopia* and two new genera of Tanypodinae (Diptera, Chironomidae) from Japan. *Japanese Journal of Systematic Entomology*, 13, 99–116.