



Proposed conservation of the name *Penthe* Newman, 1838 (Coleoptera: Tetratomidae: Penthinae) threatened by the discovery of an older available name

PATRICE BOUCHARD¹ & DARREN A. POLLOCK²

¹Canadian National Collection of Insects, Arachnids and Nematodes, Agriculture and Agri-Food Canada, Ottawa, ON, K1A 0C6, Canada. E-mail: bouchardpb@agr.gc.ca

²Department of Biology, Eastern New Mexico University, Portales, NM 88130 USA. E-mail: darren.pollock@enmu.edu

Penthe Newman, 1838 includes nine species distributed in China, the Himalayas, Japan, the Oriental Region and North America (Nikitsky, 1998; Young & Pollock, 2002) and is the type genus of the tetratomid subfamily Penthinae Lacordaire, 1859. Like many other obscure members of Tenebrionoidea, *Penthe* has had an unsettled family placement until recently. Most early authors placed the genus in Tenebrionidae (e.g. Newman, 1838; Melsheimer, 1853). Then, there was a period during which it was most often placed in Melandryidae, either in Melandryini (e.g. LeConte & Horn, 1883), Penthini (Woodruff, 1920), or Tetratomini (e.g. Csiki, 1924). Finally, based on both larval and adult characters, *Penthe* was placed in Tetratomidae (e.g. Crowson, 1955; Lawrence, 1982; Nikitsky, 1998). Adults and larvae feed on various fungi associated with rotting wood, e.g. *Polyporus*, *Piptoporus*, and *Fomitopsis* (Lawrence, 1991). As mentioned below, the name *Penthe* has been used uniformly in the various catalogues, checklists and treatments of North American Coleoptera since Newman's original description in 1838.

While reviewing tenebrionid genus-group names in the second and third editions of the *Catalogue des coléoptères de la collection de M. le comte Dejean* (Dejean, 1834, 1836b) for the fifth volume of the *Catalogue of Palearctic Coleoptera* (Löbl et al., 2008), the senior author discovered a genus-group name that should be used as valid instead of the currently accepted name *Penthe* based on the Principle of Priority (ICZN, 1999: Article 23.1).

Although new generic names in Dejean's catalogues were once considered to be *nomina nuda* because they did not include a description (e.g. Neave, 1939-1940), this is clearly not the case in all situations. In fact, a new genus-group name published before 1931 without a description, but in combination with one or more available species name(s), is available (ICZN, 1999: Article 12.2.5). Several authors (e.g. Spilman, 1973; Silfverberg, 1983, 1984a, b; Alonso-Zarazaga & Lyal, 1999; Bílý & Bellamy, 2002; Bousquet, 2004; Bellamy, 2006) have dealt specifically with the availability of genus-group names proposed for the first time in the catalogues of Dejean (1821, 1833–1836a, 1836b–1837) but this has not been done consistently throughout Coleoptera.

Historical usage of *Anorops* Dejean

Dejean (1834: 210) listed three species-group names in his new genus *Anorops*: *Helops obliquatus* Fabricius, 1798 from "Amer. bor.", *A. unicolor* Dejean, 1834 (*nomen nudum*) from the same locality and *A. brevicollis* Dejean, 1834 (*nomen nudum*) from Java. Of these species, *obliquatus* Fabricius was the only available species-group name, making the genus name *Anorops* available with *H. obliquatus* as the type species by monotypy. Two years later, Dejean (1836: 231) listed the same three species under his genus *Anorops*. Later, Duponchel (1841: 568) formally described *Anorops* for the first time and reported *Helops obliquatus* Fabricius as the type species of the genus. Chevrolat (1847a: 662) listed the genus *Pyrrocis* Laporte, 1840 as a synonym of *Penthe* and *Anorops* and, in the same publication, Chevrolat (1847b: 574-575) listed *Penthe* as a synonym of *Anorops* and *Pyrrocis*. Chevrolat (1847a, b) did not indicate which generic name he considered to be valid. Schaum (1859: 85) mentioned that both Newman and Dejean based their genera on *Helops obliquatus* Fabricius without indicating either one as the valid name. Melsheimer (1853: 141), Lacordaire (1859: 456), and Gemminger & Harold (1870: 2073) used *Penthe* as the valid name for this genus and listed *Anorops* as a synonym. LeConte & Horn (1883), Woodruff (1920), Csiki (1924), and subsequent authors have all used *Penthe* Newman as the valid name for the genus without any mention of *Anorops* Dejean.

Reversal of precedence

Because *Anorops* Dejean, 1834 and *Penthe* Newman, 1838 have the same type species, *Penthe* is a junior objective synonym of *Anorops* and should be replaced by the older name. However, following the requirements of Article 23.9 (ICZN, 1999) we include a list below of 25 publications, published by more than 10 authors in the immediately preceding 50 years and encompassing a span of more than 10 years to support the conservation of *Penthe* Newman, 1838 over *Anorops* Dejean, 1834. The senior synonym has not been used as a valid taxonomic name since 1899 as far as we know. Supporting references: Abdullah (1973, 1974), Arnett (1962, 2000), Beutel & Friedrich (2005), Chantal (1985), Crowson (1963), Downie & Arnett (1996), Hayashi (1972), Lawrence (1977, 1991), Lawrence & Newton (1995), LeSage (1990), Li-zhong (2002), Majka & Pollock (2006), Miyatake (1960), Nakane (1963), Nikitsky (1989, 1998, 2005), Sato & Lee (2004), Savard (1985), Shockley & Cline (2004), White (1983), Young & Pollock (2002).

Summary of available genus-group names

Penthe Newman, 1838: 373 [*nomen protectum*]. Type species: *Helops obliquatus* Fabricius, 1798 by subsequent designation (Hope, 1840: 133).

Anorops Dejean, 1834: 210 [*nomen oblitum*]. Type species *Helops obliquatus* Fabricius, 1798 by monotypy.

Pyrrocis Laporte, 1840: 236. Type species *Helops obliquatus* Fabricius, 1798 by subsequent designation (Nikitsky, 2008).

Pyrrhocis Agassiz, 1846: 319 [unjustified emendation of *Pyrrocis* Laporte].

Acknowledgments

We thank Y. Bousquet (Agriculture and Agri-Food Canada, Ottawa) and anonymous reviewers for their comments on this manuscript.

References

- Abdullah, M. (1973) Larvae of the families of Coleoptera III. Heteromera, Cucujoidea: a key to the world families including their distinguishing characters. *Journal of Natural History*, 7, 535–544.
- Abdullah, M. (1974) Interpretations of the imaginal and larval characters, including distinctions among Melandryidae, Mycetophagidae, and Tetratomidae (Coleoptera). *The Coleopterists Bulletin*, 28, 93–100.
- Agassiz, J.L.R. (1846) *Nomenclatoris zoologici. Index universalis, continens nomina systematica classium, ordinum, familiarum et generum animalium omnium, tam viventium quam fossilium, secundum ordinem alphabeticum unicum disposita, adjectis homonymiis plantarum, nec non variis adnotationibus et emendationibus*. Jent et Gaussmann, Soloduri, viii + 393 pp.
- Alonso-Zarazaga, M.A. & Lyal, C.H.C. (1999) *A world catalogue of families and genera of Curculionoidea (Insecta: Coleoptera) (excepting Scolytidae and Platypodidae)*. Entomopraxis, S. C. P., Barcelona, 315 pp.
- Arnett, R.H., Jr. (1962) *The beetles of the United States (a manual for identification)*. The Catholic University of America Press, Washington D.C., Part 5, pp. 645–850.
- Arnett, R.H., Jr. (2000) *American insects : a handbook of the insects of America north of Mexico. Second Edition*. CRC Press, Boca Raton, xvii + 1003 pp.
- Bellamy, C.L. (2006) Case 3366. *Cisseis* Gory & Laporte de Castelnau, 1839 and *Curis* Gory & Laporte de Castelnau, 1838 (Insecta, Coleoptera): proposed conservation. *Bulletin of Zoological Nomenclature*, 63, 247–250.
- Beutel, R.G. & Friedrich, F. (2005) Comparative study of larvae of Tenebrionoidea (Coleoptera: Cucujiformia). *European Journal of Entomology*, 102, 241–264.
- Bílý, S. & Bellamy, C.L. (2002) Case 3205. *Cyphosoma* Manneheim, 1837 (Insecta, Coleoptera): proposed conservation, and *Halecia* Laporte & Gory, 1837 (Insecta, Coleoptera): proposed precedence over *Pristiptera* Dejean, 1833. *Bulletin of Zoological Nomenclature*, 59, 249–252.
- Bousquet, Y. (2004) The works of P. F. M. A. Dejean, with emphasis on publication dates and new carabid taxa proposed. *Faberies*, 29, 33–48.
- Chantal, C. (1985) Les Tetratomidae (Coleoptera) du Québec. *Faberies*, 11, 43–66.
- Chevrolat, L.A.A. (1847a) *Penthe*. In: d'Orbigny, C.V.D. (Ed.) *Dictionnaire universel d'histoire naturelle résumant et*

- complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et les divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc.; dirigé par M. Charles d'Orbigny, et enrichi d'un magnifique atlas de 288 planches gravées sur acier. Vol. 9. C. Renard, Paris, pp. 574–575.
- Chevolat, L.A.A. (1847b) *Pyrrocis*. In: d'Orbigny, C.V.D. (Ed.) *Dictionnaire universel d'histoire naturelle ... Vol. 10*. C. Renard, Paris, pp. 662–663.
- Crowson, R.A. (1955) *The natural classification of the families of Coleoptera*. N. Lloyd, London, [2] + 187 pp.
- Crowson, R.A. (1964) Observations on British Tetratomidae (Col.), with a key to the larvae. *Entomologist's Monthly Magazine*, 99, 82–86.
- Csiki, E. (1924) Serropalpidae. In: Schenkling, S. (Ed.) *Coleopterorum Catalogus. Vol. XVII. Pars 77*. W. Junk, Berlin, 62 pp.
- Dejean, P.F.M.A. (1821) *Catalogue de la collection de coléoptères de M. le Baron Dejean*. Crevot, Paris, viii + 138 + [2, errata] pp.
- Dejean, P.F.M.A. (1833–1836a) *Catalogue des coléoptères de la collection de M. le comte Dejean. Deuxième Édition*. Méquignon-Marvis Père et Fils, Paris, 443 pp. [Livraisons 1 and 2 (pp. 1–176: 1833); Livraison 3 (pp. 177–256: 1834); Livraison 4 (pp. 257–360: 1835); Livraison 5 (pp. 361–443: 1836a). Publication dates from Bousquet (2004)].
- Dejean, P.F.M.A. (1836b–1837) *Catalogue des coléoptères de la collection de M. le comte Dejean. Troisième Édition, revue, corrigée et augmentée*. Méquignon-Marvis Père et Fils, Paris, xiv + 503 pp. [Livraisons 1–4 (pp. 1–384: 1836b); Livraison 5 (pp. 1–xiv + 385–503: 1837). Publication dates from Bousquet (2004)].
- Downie, N.M. & Arnett, R.H., Jr. (1996) *The beetles of northeastern North America. Volume 2: Polyphaga: Series Bostrichiformia through Curculionoidea*. Sandhill Crane Press, Gainesville, i-x + 891–1721.
- Duponchel, P.A.J. (1841) *Anorops*. In: d'Orbigny, C.V.D. (Ed.) *Dictionnaire universel d'histoire naturelle ... Vol. 1*. C. Renard, Paris, p. 568.
- Fabricius, J.C. (1798) *Supplementum entomologiae systematicae. II*. Proft et Storch, Hafniae, ii + 572 pp.
- Gemminger, M. & Harold, E., von. (1870) Tenebrionidae, Nilionidae, Pythidae, Melandryidae, Lagriidae, Pedilidae, Anthicidae, Pyrochroidae, Mordellidae, Rhipiphoridae, Cantharidae, Oedemeridae. In: *Catalogus coleopterorum hucusque descriptorum synonymicus et systematicus. Tom. VII*. E. H. Gummi, Monachii, pp. 1801–2179 + [11].
- Hayashi, N. (1972) On the larvae of some species of Colydiidae, Tetratomidae and Aderidae occurring in Japan (Coleoptera: Cucujoidea). *Kontyû*, 40, 100–111.
- Hope, F.W. (1840) *The coleopterist's manual, part the third, containing various families, genera, and species, of beetles, recorded by Linnaeus and Fabricius. Also, descriptions of newly discovered and unpublished insects*. J. C. Bridgewater, and Bowdery & Kerby, London, [5] + 191 pp. + 3 pls.
- ICZN. (1999) *International Code of Zoological Nomenclature, Fourth Edition, adopted by the International Union of Biological Sciences*. International Trust for Zoological Nomenclature, London, xxix + 306 pp. [Also available from URL: <<http://www.iczn.org/iczn/index.jsp>>].
- Lacordaire, J.T. (1859) *Histoire naturelle des insectes. Genera des Coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Vol. 5*. Librairie Encyclopédique de Roret, Paris, 750 pp.
- Laporte [= Castelnau], F.L.N.C., de. (1840) *Histoire naturelle des insectes coléoptères. Tome deuxième*. P. Duménil, Paris, [3] + 563 + [1] pp. + 38 pls.
- Lawrence, J.F. (1977) The family Pterogeniidae, with notes on the phylogeny of the Heteromera. *The Coleopterists Bulletin*, 31, 25–56.
- Lawrence, J.F. (1982) Coleoptera. In: Parker, S.P. (Ed.) *Synopsis and classification of living organisms, Volume 2*. McGraw-Hill, New York, pp. 482–553.
- Lawrence, J.F. (1991) Tetratomidae (Tenebrionoidea). In: Stehr, F.W. (Ed.) *Immature insects. Volume 2*. Kendall / Hunt Publishing Co., Dubuque, pp. 504–505.
- Lawrence, J.F. & Newton, A.F., Jr. (1995) Families and subfamilies of Coleoptera (with selected genera, notes, references and data on family-group names). In: Pakaluk, J. & Ślipiński, S.A. (Eds.) *Biology, phylogeny, and classification of Coleoptera: papers celebrating the 80th birthday of Roy A. Crowson. Volume 2*. Muzeum i Instytut Zoologii PAN, Warszawa, pp. 779–1006.
- LeConte, J.L. & Horn, G.H. (1883) Classification of the Coleoptera of North America. *Smithsonian Miscellaneous Collections*, 507, xxxviii + 567 pp.
- LeSage, L. (1990) Family Tetratomidae tetratomid beetles. In: Bousquet, Y. (Ed.) *Checklist of the beetles of Canada and Alaska*. Research Branch, Ottawa, p. 243.
- Li-zhong, H. (2002) *List of Chinese insects. Volume II*. Zhongshan (Sun Yat-sen) University Press, Guangzhou, 612 pp.
- Löbl, I., Ando, K., Bouchard, P., Iwan, D., Lillig, M., Masumoto, K., Merkl, O., Nabozhenko, M., Novák, V., Petterson, R., Schawaller, W. & Soldati, F. (2008) Family Tenebrionidae Latreille, 1802. In: Löbl, I. & Smetana, A. (Eds.) *Cat-*

- atalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea*. Apollo Books, Stenstrup, pp. 105-352.
- Majka, C.G. & Pollock, D.A. (2006) Understanding saproxylic beetles: new records of Tetratomidae, Melandryidae, Synchronoidae, and Scaptiidae from the Maritime Provinces of Canada (Coleoptera: Tenebrionoidea). *Zootaxa*, 1248, 45–68
- Melsheimer, F.E. (1853) *Catalogue of the described Coleoptera of the United States*. Smithsonian Institution, Washington D.C., xvi + 174 pp.
- Miyatake, M. (1960) The genus *Pisenus* Casey and some notes on the family Tetratomidae (Coleoptera). *Transactions of the Shikoku Entomological Society*, 6, 121–135.
- Nakane, T. (1963) Tetratomidae. In: Nakane, T., Ohbayashi, K., Nomura, S. & Kurosawa, Y. (Eds.) *Iconographia Insectorum Japonicum Colore naturali edita. Volumen II (Coleoptera)*. Hokuryukan, Tokyo, p. 237.
- Neave, S.A. (1939–1940) *Nomenclator Zoologicus. A list of the names of genera and subgenera in Zoology from the tenth edition of Linnaeus 1758 to the end of 1935. Vol. 1–4 and supplement*. Zoological Society of London, xiv + 957 + 1025 + 1065 + 758 pp.
- Newman, E. (1838) Entomological notes. *Entomological Magazine*, 5, 373–402.
- Nikitsky, N.B. (1989) The beetle families Tetratomidae and Melandryidae of the USSR Far East. *Sbornik Trudov Zoologicheskogo Muzeja MGU (Moskovskogo Gosudarstvennogo Universiteta)*, 27, 3–87.
- Nikitsky, N.B. (1998) *Generic classification of the beetle family Tetratomidae (Coleoptera, Tenebrionoidea) of the world, with description of new taxa*. Pensoft Publishers, Moscow, pp. 1–80.
- Nikitsky, N.B. (2005) The beetles of the subfamily Penthinae Lacordaire, 1859 (Coleoptera, Tenebrionoidea, Tetratomidae) of the world fauna. *Byulleten' Moskovskogo Obshchestva Ispytatelei Prirody Otdel Biologicheskii*, 110, 16–26.
- Nikitsky, N.B. (2008) Family Tetratomidae Billberg, 1820. In: Löbl, I. & Smetana, A. (Eds.) *Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea*. Apollo Books, Stenstrup. 670 pp.
- Sato, M. & Lee, C.-F. (2004) A new record of *Penthe reitteri* Nikitsky (Coleoptera, Tetratomidae) from Taiwan. *Elytra*, 32, 370.
- Savard, M. (1985) Capture de *Penthe obliquata* (Fab.) en Sagamie (Coleoptera, Tetratomidae). *Fabriques*, 12, 12.
- Shockley, F.W. & Cline, A.R. (2004) A contribution to the inventory of Coleoptera of Missouri: new records from Benton County. *Journal of the Kansas Entomological Society*, 77, 280–284.
- Silfverberg, H. (1984) The coleopteran genera of Dejean 1821. I. Carabidae. *Annales Entomologici Fennici*, 49, 115–116.
- Silfverberg, H. (1984a) The coleopteran genera of Dejean 1821. II. Polyphaga. 1. *Annales Entomologici Fennici*, 50, 58–60.
- Silfverberg, H. (1984b) The coleopteran genera of Dejean 1821. III. Curculionoidea and Chrysomeloidea. *Annales Entomologici Fennici*, 50, 61–63.
- Spilman, T.J. (1973) Nomenclatural problems in six genera of Tenebrionidae (Coleoptera). *Proceedings of the Entomological Society of Washington*, 75, 39–44.
- White, R.E. (1983) *A field guide to the beetles of North America*. Houghton Mifflin, Boston, xii + 368 pp.
- Woodruff, L.B. (1920) Melandryidae. In: Leng, C.W. (Ed.) *Catalogue of the Coleoptera of America, North of Mexico*. John D. Sherman, Jr., Mount Vernon, pp. 238–240.
- Young, D.K. & Pollock, D.A. (2002) 99. Tetratomidae Billberg 1820. In: Arnett, R.H.J., Thomas, M.C., Skelley, P.E. & Frank, J.H. (Eds.) *American Beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea*. CRC Press, New York, pp. 413–416.