



<https://doi.org/10.11646/zootaxa.4442.4.9>

<http://zoobank.org/urn:lsid:zoobank.org:pub:886D6562-E897-46E3-8A20-6D8406E80043>

**JEAN CLAUDE RAKOTONIRINA & BRIAN L. FISHER (2018) Taxonomic revision of the Malagasy *Camponotus* subgenus *Mayria* (Hymenoptera, Formicidae) using qualitative and quantitative morphology. *Zootaxa*, 4438: 001–058.**

Table 1 on page 4 should read as:

**Table 1.** Ratios of morphometric data for minors and majors of every species treated in this revision. Upper line: mean of ratios ± standard deviation, lower line in square brackets: minimum and maximum values.

Species	Castes	CS	CWb/CL	CW/CL	PoOc/CL
<i>christi</i>	minor (N=28)	1.01±0.09 [0.87, 1.17]	0.76±0.03 [0.69, 0.83]	0.72±0.02 [0.69, 0.74]	0.34±0.01 [0.31, 0.36]
	major (N=3)	1.53±0.05 [1.48, 1.58]	0.94±0.01 [0.93, 0.95]	0.78±0.01 [0.78, 0.79]	0.31±0.01 [0.30, 0.32]
<i>dromedarius</i>	minor (N=37)	1.22±0.10 [1.04, 1.45]	0.80±0.07 [0.72, 1.05]	0.78±0.07 [0.73, 1.05]	0.34±0.02 [0.31, 0.39]
	major (N=6)	1.64±0.12 [1.48, 1.82]	0.93±0.04 [0.86, 0.98]	0.83±0.03 [0.79, 0.85]	0.33±0.01 [0.31, 0.35]
<i>foersteri</i>	minor (N=34)	1.00±0.11 [0.75, 1.23]	0.77±0.03 [0.71, 0.85]	0.75±0.02 [0.70, 0.78]	0.33±0.01 [0.31, 0.35]
	major (N=3)	1.42±0.17 [1.30, 1.62]	0.95±0.03 [0.91, 0.98]	0.83±0.00 [0.82, 0.83]	0.31±0.01 [0.30, 0.32]
<i>lamosy</i>	minor (N=20)	1.09±0.10 [0.85, 1.22]	0.77±0.03 [0.73, 0.82]	0.77±0.02 [0.72, 0.79]	0.34±0.01 [0.31, 0.37]
	major (N=2)	1.82±0.04 [1.79, 1.85]	1.01±0.02 [0.99, 1.03]	0.86±0.03 [0.84, 0.87]	0.30±0.00 [0.30, 0.31]
<i>liandia</i>	minor (N=13)	0.85±0.09 [0.73, 1.11]	0.78±0.02 [0.73, 0.82]	0.77±0.02 [0.73, 0.79]	0.26±0.01 [0.24, 0.27]
	major (N=2)	1.41±0.07 [1.36, 1.46]	0.88±0.02 [0.87, 0.90]	0.79±0.03 [0.77, 0.81]	0.28±0.00 [0.27, 0.28]
<i>lubbocki</i>	minor (N=16)	1.10±0.08 [1.00, 1.32]	0.84±0.02 [0.81, 0.88]	0.80±0.01 [0.77, 0.81]	0.27±0.01 [0.25, 0.30]
	major (N=3)	1.85±0.22 [1.59, 2.01]	1.00±0.03 [0.96, 1.03]	0.86±0.01 [0.85, 0.87]	0.28±0.01 [0.27, 0.29]
<i>maculiventris</i>	minor (N=51)	0.94±0.16 [0.72, 1.50]	0.81±0.06 [0.74, 1.03]	0.78±0.03 [0.74, 0.87]	0.32±0.01 [0.29, 0.36]
	major (N=10)	1.29±0.10 [1.14, 1.42]	0.93±0.09 [0.78, 1.01]	0.81±0.06 [0.69, 0.92]	0.31±0.02 [0.28, 0.34]
<i>mainly</i>	minor (N=38)	0.95±0.09 [0.76, 1.11]	0.79±0.03 [0.72, 0.86]	0.77±0.02 [0.73, 0.81]	0.30±0.03 [0.23, 0.36]
	major (N=10)	1.43±0.25 [1.08, 1.80]	0.95±0.09 [0.80, 1.07]	0.82±0.04 [0.75, 0.87]	0.29±0.02 [0.27, 0.32]
<i>manabo</i>	minor (N=17)	1.24±0.08 [1.10, 1.37]	0.84±0.02 [0.80, 0.88]	0.81±0.02 [0.79, 0.84]	0.27±0.01 [0.25, 0.28]
<i>pulcher</i>	minor (N=7)	1.05±0.09 [0.98, 1.24]	0.84±0.05 [0.81, 0.94]	0.81±0.02 [0.79, 0.86]	0.33±0.01 [0.31, 0.35]
	major (N=2)	1.50±0.11 [1.42, 1.58]	1.00±0.04 [0.97, 1.03]	0.87±0.01 [0.86, 0.88]	0.31±0.01 [0.31, 0.32]
<i>raina</i>	minor (N=16)	0.97±0.08 [0.92, 1.26]	0.71±0.04 [0.67, 0.85]	0.70±0.02 [0.68, 0.76]	0.35±0.02 [0.31, 0.37]
	major (N=6)	1.60±0.06 [1.53, 1.67]	0.95±0.01 [0.93, 0.97]	0.81±0.01 [0.79, 0.83]	0.30±0.01 [0.29, 0.31]
<i>repens</i>	minor (N=22)	0.85±0.09 [0.70, 1.13]	0.81±0.03 [0.75, 0.92]	0.82±0.02 [0.79, 0.85]	0.27±0.01 [0.25, 0.29]
	major (N=5)	1.35±0.11 [1.20, 1.43]	0.94±0.02 [0.90, 0.97]	0.84±0.01 [0.83, 0.85]	0.27±0.01 [0.26, 0.29]
<i>sada</i>	minor (N=20)	0.82±0.04 [0.73, 0.94]	0.68±0.01 [0.66, 0.69]	0.68±0.01 [0.67, 0.70]	0.33±0.01 [0.31, 0.35]
	major (N=3)	1.67±0.06 [1.62, 1.73]	0.89±0.001 [0.89, 0.89]	0.79±0.001 [0.78, 0.79]	0.30±0.01 [0.29, 0.31]
<i>tanosy</i>	minor (N=4)	0.91±0.04 [0.87, 0.96]	0.71±0.02 [0.69, 0.74]	0.77±0.03 [0.75, 0.81]	0.30±0.01 [0.28, 0.31]
	major (N=3)	1.25±0.06 [1.21, 1.33]	0.83±0.03 [0.80, 0.87]	0.80±0.02 [0.78, 0.82]	0.31±0.01 [0.30, 0.32]

...continued on the next page

**Table 1.** (continued )

Species	Castes	PrOc/CL	FR/CS	TCD/CS	ClyL/CL
<i>christi</i>	minor (N=28)	0.44±0.01	0.33±0.02	0.23±0.01	0.26±0.01
		[0.42, 0.48]	[0.30, 0.43]	[0.22, 0.25]	[0.25, 0.29]
	major (N=3)	0.49±0.01	0.31±0.01	0.22±0.01	0.29±0.01
		[0.48, 0.50]	[0.30, 0.31]	[0.21, 0.23]	[0.28, 0.30]
<i>dromedarius</i>	minor (N=37)	0.43±0.01	0.35±0.02	0.25±0.01	0.27±0.01
		[0.42, 0.46]	[0.28, 0.37]	[0.20, 0.27]	[0.25, 0.29]
	major (N=6)	0.45±0.02	0.33±0.01	0.24±0.01	0.27±0.01
		[0.43, 0.48]	[0.32, 0.35]	[0.23, 0.25]	[0.26, 0.29]
<i>foersteri</i>	minor (N=34)	0.43±0.02	0.33±0.01	0.23±0.01	0.27±0.01
		[0.39, 0.47]	[0.31, 0.36]	[0.21, 0.27]	[0.24, 0.28]
	major (N=3)	0.47±0.01	0.30±0.01	0.23±0.00	0.28±0.01
		[0.47, 0.48]	[0.30, 0.31]	[0.22, 0.23]	[0.27, 0.29]
<i>lamosy</i>	minor (N=20)	0.42±0.01	0.36±0.01	0.25±0.01	0.26±0.01
		[0.41, 0.45]	[0.34, 0.38]	[0.22, 0.27]	[0.25, 0.27]
	major (N=2)	0.48±0.01	0.32±0.00	0.22±0.00	0.28±0.00
		[0.48, 0.49]	[0.32, 0.32]	[0.22, 0.22]	[0.28, 0.29]
<i>liandia</i>	minor (N=13)	0.52±0.02	0.29±0.01	0.24±0.01	0.29±0.01
		[0.48, 0.54]	[0.27, 0.30]	[0.22, 0.26]	[0.28, 0.31]
	major (N=2)	0.54±0.01	0.30±0.01	0.24±0.00	0.31±0.01
		[0.53, 0.55]	[0.29, 0.30]	[0.23, 0.24]	[0.30, 0.32]
<i>lubbocki</i>	minor (N=16)	0.52±0.01	0.32±0.01	0.26±0.01	0.33±0.01
		[0.50, 0.54]	[0.30, 0.35]	[0.24, 0.27]	[0.31, 0.34]
	major (N=3)	0.53±0.01	0.33±0.00	0.25±0.01	0.34±0.02
		[0.52, 0.54]	[0.32, 0.33]	[0.24, 0.26]	[0.32, 0.37]
<i>maculiventris</i>	minor (N=51)	0.44±0.02	0.34±0.01	0.23±0.01	0.26±0.01
		[0.40, 0.47]	[0.31, 0.36]	[0.21, 0.25]	[0.25, 0.29]
	major (N=10)	0.47±0.02	0.33±0.02	0.24±0.02	0.28±0.02
		[0.42, 0.50]	[0.29, 0.37]	[0.22, 0.26]	[0.26, 0.30]
<i>mainty</i>	minor (N=38)	0.46±0.03	0.35±0.02	0.25±0.01	0.28±0.01
		[0.40, 0.51]	[0.31, 0.39]	[0.23, 0.28]	[0.26, 0.30]
	major (N=10)	0.49±0.02	0.32±0.01	0.23±0.01	0.29±0.01
		[0.44, 0.51]	[0.31, 0.34]	[0.22, 0.26]	[0.27, 0.32]
<i>manabo</i>	minor (N=17)	0.49±0.01	0.33±0.01	0.25±0.01	0.30±0.01
		[0.47, 0.52]	[0.31, 0.34]	[0.24, 0.28]	[0.29, 0.31]
<i>pulcher</i>	minor (N=7)	0.43±0.01	0.37±0.01	0.25±0.01	0.26±0.01
		[0.41, 0.44]	[0.36, 0.38]	[0.24, 0.27]	[0.24, 0.28]
	major (N=2)	0.45±0.01	0.34±0.00	0.24±0.00	0.28±0.01
		[0.44, 0.45]	[0.34, 0.34]	[0.24, 0.25]	[0.27, 0.28]
<i>raina</i>	minor (N=16)	0.40±0.01	0.32±0.01	0.23±0.01	0.27±0.01
		[0.39, 0.44]	[0.30, 0.33]	[0.22, 0.25]	[0.25, 0.29]
	major (N=6)	0.47±0.01	0.33±0.01	0.25±0.01	0.31±0.01
		[0.45, 0.48]	[0.32, 0.35]	[0.24, 0.26]	[0.29, 0.32]
<i>repens</i>	minor (N=22)	0.48±0.02	0.44±0.01	0.31±0.01	0.29±0.01
		[0.44, 0.53]	[0.41, 0.47]	[0.30, 0.33]	[0.27, 0.32]
	major (N=5)	0.50±0.01	0.40±0.01	0.29±0.01	0.31±0.03
		[0.49, 0.51]	[0.38, 0.42]	[0.28, 0.30]	[0.25, 0.33]
<i>sada</i>	minor (N=20)	0.43±0.01	0.29±0.01	0.22±0.01	0.26±0.01
		[0.40, 0.45]	[0.27, 0.32]	[0.21, 0.24]	[0.24, 0.30]
	major (N=3)	0.51±0.02	0.31±0.00	0.24±0.00	0.30±0.00
		[0.50, 0.53]	[0.31, 0.31]	[0.24, 0.24]	[0.30, 0.30]
<i>tanosy</i>	minor (N=4)	0.44±0.01	0.34±0.02	0.26±0.01	0.29±0.00
		[0.43, 0.45]	[0.32, 0.37]	[0.25, 0.27]	[0.29, 0.30]
	major (N=3)	0.44±0.02	0.33±0.02	0.25±0.01	0.31±0.01
		[0.42, 0.46]	[0.30, 0.35]	[0.24, 0.26]	[0.30, 0.32]

...continued on the next page

**Table 1.** (continued )

Species	Castes	ClyL/GPD	SL/CS	EL/CS	OMD/CS
<i>christi</i>	minor (N=28)	0.64±0.03	1.53±0.09	0.26±0.01	0.48±0.02
		[0.60, 0.72]	[1.35, 1.70]	[0.23, 0.29]	[0.44, 0.51]
	major (N=3)	0.77±0.03	1.06±0.03	0.22±0.02	0.46±0.01
		[0.73, 0.79]	[1.03, 1.08]	[0.20, 0.24]	[0.45, 0.47]
<i>dromedarius</i>	minor (N=37)	0.67±0.03	1.34±0.08	0.26±0.01	0.45±0.03
		[0.62, 0.71]	[1.16, 1.48]	[0.23, 0.29]	[0.37, 0.57]
	major (N=6)	0.69±0.02	1.07±0.06	0.23±0.01	0.44±0.01
		[0.67, 0.73]	[1.01, 1.19]	[0.22, 0.24]	[0.43, 0.45]
<i>foersteri</i>	minor (N=34)	0.64±0.02	1.44±0.07	0.27±0.01	0.46±0.01
		[0.61, 0.71]	[1.29, 1.58]	[0.24, 0.32]	[0.44, 0.48]
	major (N=3)	0.69±0.02	1.06±0.07	0.24±0.01	0.44±0.01
		[0.67, 0.71]	[0.98, 1.11]	[0.23, 0.25]	[0.43, 0.45]
<i>lamosy</i>	minor (N=20)	0.62±0.02	1.30±0.06	0.28±0.01	0.44±0.01
		[0.57, 0.68]	[1.22, 1.42]	[0.26, 0.31]	[0.42, 0.46]
	major (N=2)	0.75±0.01	0.94±0.03	0.22±0.00	0.45±0.01
		[0.74, 0.76]	[0.92, 0.96]	[0.22, 0.22]	[0.44, 0.46]
<i>liandia</i>	minor (N=13)	0.65±0.04	1.19±0.04	0.26±0.02	0.47±0.01
		[0.57, 0.72]	[1.08, 1.25]	[0.22, 0.28]	[0.45, 0.49]
	major (N=2)	0.81±0.00	0.84±0.03	0.20±0.01	0.47±0.02
		[0.81, 0.81]	[0.82, 0.87]	[0.19, 0.20]	[0.46, 0.48]
<i>lubbocki</i>	minor (N=16)	0.76±0.12	1.20±0.06	0.24±0.01	0.48±0.01
		[0.65, 1.18]	[1.08, 1.26]	[0.23, 0.27]	[0.46, 0.50]
	major (N=3)	0.87±0.07	0.84±0.06	0.19±0.02	0.46±0.00
		[0.79, 0.92]	[0.80, 0.91]	[0.18, 0.21]	[0.45, 0.46]
<i>maculiventris</i>	minor (N=51)	0.62±0.03	1.34±0.15	0.28±0.02	0.45±0.01
		[0.55, 0.68]	[0.83, 1.60]	[0.23, 0.30]	[0.42, 0.48]
	major (N=10)	0.70±0.04	1.06±0.14	0.24±0.02	0.44±0.02
		[0.65, 0.75]	[0.90, 1.29]	[0.21, 0.28]	[0.41, 0.47]
<i>mainty</i>	minor (N=38)	0.65±0.03	1.42±0.10	0.27±0.01	0.47±0.02
		[0.59, 0.71]	[1.28, 1.86]	[0.25, 0.29]	[0.44, 0.50]
	major (N=10)	0.72±0.04	1.11±0.21	0.23±0.02	0.46±0.03
		[0.65, 0.78]	[0.89, 1.44]	[0.21, 0.28]	[0.43, 0.51]
<i>manabo</i>	minor (N=17)	0.70±0.03	1.38±0.05	0.26±0.01	0.51±0.01
		[0.64, 0.73]	[1.28, 1.46]	[0.24, 0.28]	[0.49, 0.54]
<i>pulcher</i>	minor (N=7)	0.61±0.03	1.35±0.07	0.27±0.01	0.43±0.01
		[0.57, 0.65]	[1.20, 1.41]	[0.26, 0.28]	[0.41, 0.45]
	major (N=2)	0.71±0.03	1.00±0.05	0.24±0.02	0.42±0.00
		[0.70, 0.73]	[0.97, 1.04]	[0.23, 0.25]	[0.42, 0.42]
<i>raina</i>	minor (N=16)	0.64±0.04	1.36±0.11	0.29±0.02	0.42±0.01
		[0.60, 0.74]	[1.02, 1.47]	[0.25, 0.31]	[0.40, 0.44]
	major (N=6)	0.78±0.03	0.79±0.03	0.24±0.01	0.40±0.01
		[0.73, 0.81]	[0.74, 0.81]	[0.22, 0.25]	[0.38, 0.41]
<i>repens</i>	minor (N=22)	0.67±0.05	0.99±0.06	0.29±0.01	0.46±0.01
		[0.62, 0.83]	[0.78, 1.06]	[0.25, 0.31]	[0.43, 0.49]
	major (N=5)	0.83±0.08	0.70±0.04	0.24±0.02	0.45±0.01
		[0.69, 0.89]	[0.67, 0.77]	[0.22, 0.27]	[0.42, 0.46]
<i>sada</i>	minor (N=20)	0.62±0.03	1.38±0.04	0.30±0.01	0.42±0.01
		[0.57, 0.67]	[1.30, 1.49]	[0.28, 0.33]	[0.41, 0.47]
	major (N=3)	0.72±0.02	0.77±0.01	0.22±0.00	0.43±0.00
		[0.70, 0.74]	[0.76, 0.78]	[0.21, 0.22]	[0.43, 0.44]
<i>tanosy</i>	minor (N=4)	0.68±0.01	1.38±0.04	0.33±0.01	0.44±0.00
		[0.67, 0.70]	[1.32, 1.41]	[0.31, 0.34]	[0.43, 0.44]
	major (N=3)	0.76±0.01	1.11±0.03	0.27±0.01	0.42±0.01
		[0.75, 0.77]	[1.08, 1.15]	[0.27, 0.28]	[0.41, 0.42]

...continued on the next page

**Table 1.** (continued)

Species	Castes	MW/ML	PEW/CS	MPD/ML	HTL/CS
<i>christi</i>	minor (N=28)	0.42±0.01	0.28±0.01	0.75±0.01	1.47±0.07
		[0.39, 0.44]	[0.25, 0.30]	[0.72, 0.77]	[1.29, 1.59]
	major (N=3)	0.44±0.02	0.24±0.00	0.76±0.01	1.15±0.03
		[0.43, 0.46]	[0.24, 0.25]	[0.75, 0.77]	[1.11, 1.18]
<i>dromedarius</i>	minor (N=37)	0.47±0.01	0.27±0.02	0.80±0.01	1.37±0.08
		[0.45, 0.49]	[0.23, 0.30]	[0.79, 0.83]	[1.20, 1.53]
	major (N=6)	0.47±0.00	0.26±0.03	0.79±0.01	1.18±0.05
		[0.47, 0.48]	[0.20, 0.27]	[0.78, 0.81]	[1.14, 1.27]
<i>foersteri</i>	minor (N=34)	0.43±0.02	0.26±0.01	0.75±0.04	1.33±0.06
		[0.41, 0.55]	[0.24, 0.29]	[0.73, 0.96]	[1.20, 1.46]
	major (N=3)	0.49±0.04	0.26±0.00	0.81±0.09	1.09±0.05
		[0.46, 0.53]	[0.25, 0.26]	[0.76, 0.92]	[1.05, 1.15]
<i>lamosy</i>	minor (N=20)	0.45±0.01	0.27±0.01	0.78±0.01	1.26±0.05
		[0.42, 0.47]	[0.25, 0.29]	[0.76, 0.80]	[1.19, 1.37]
	major (N=2)	0.46±0.02	0.25±0.01	0.80±0.00	1.03±0.01
		[0.45, 0.47]	[0.25, 0.26]	[0.80, 0.80]	[1.02, 1.04]
<i>liandia</i>	minor (N=13)	0.44±0.01	0.25±0.01	0.73±0.01	1.24±0.05
		[0.43, 0.46]	[0.24, 0.27]	[0.72, 0.77]	[1.15, 1.31]
	major (N=2)	0.48±0.02	0.24±0.00	0.75±0.01	0.97±0.05
		[0.47, 0.50]	[0.24, 0.25]	[0.74, 0.76]	[0.94, 1.00]
<i>lubbocki</i>	minor (N=16)	0.43±0.01	0.26±0.01	0.74±0.01	1.27±0.04
		[0.41, 0.46]	[0.24, 0.29]	[0.72, 0.76]	[1.19, 1.33]
	major (N=3)	0.47±0.01	0.24±0.02	0.76±0.00	0.98±0.07
		[0.46, 0.47]	[0.22, 0.25]	[0.75, 0.76]	[0.92, 1.06]
<i>maculiventris</i>	minor (N=51)	0.45±0.01	0.27±0.02	0.75±0.01	1.21±0.12
		[0.42, 0.49]	[0.21, 0.33]	[0.71, 0.78]	[0.86, 1.35]
	major (N=10)	0.47±0.02	0.26±0.02	0.77±0.02	1.07±0.14
		[0.43, 0.49]	[0.23, 0.30]	[0.74, 0.80]	[0.92, 1.28]
<i>mainty</i>	minor (N=38)	0.44±0.01	0.27±0.02	0.74±0.01	1.34±0.08
		[0.42, 0.46]	[0.22, 0.31]	[0.71, 0.78]	[1.02, 1.45]
	major (N=10)	0.45±0.01	0.25±0.02	0.75±0.01	1.18±0.17
		[0.43, 0.46]	[0.23, 0.31]	[0.73, 0.77]	[1.03, 1.49]
<i>manabo</i>	minor (N=17)	0.47±0.01	0.32±0.01	0.77±0.01	1.50±0.04
		[0.46, 0.50]	[0.30, 0.34]	[0.75, 0.79]	[1.42, 1.58]
<i>pulcher</i>	minor (N=7)	0.49±0.01	0.25±0.01	0.80±0.01	1.26±0.03
		[0.48, 0.51]	[0.24, 0.26]	[0.79, 0.81]	[1.20, 1.30]
	major (N=2)	0.51±0.01	0.24±0.01	0.81±0.00	1.04±0.04
		[0.50, 0.51]	[0.23, 0.25]	[0.80, 0.81]	[1.02, 1.07]
<i>raina</i>	minor (N=16)	0.43±0.01	0.31±0.01	0.77±0.02	1.26±0.09
		[0.42, 0.46]	[0.30, 0.33]	[0.71, 0.80]	[1.02, 1.37]
	major (N=6)	0.47±0.01	0.33±0.01	0.79±0.01	0.87±0.02
		[0.46, 0.48]	[0.31, 0.35]	[0.78, 0.80]	[0.84, 0.89]
<i>repens</i>	minor (N=22)	0.48±0.01	0.28±0.01	0.72±0.01	1.05±0.05
		[0.45, 0.50]	[0.26, 0.31]	[0.69, 0.74]	[0.90, 1.10]
	major (N=5)	0.49±0.02	0.28±0.01	0.73±0.02	0.79±0.03
		[0.47, 0.51]	[0.27, 0.29]	[0.70, 0.74]	[0.73, 0.82]
<i>sada</i>	minor (N=20)	0.41±0.05	0.28±0.01	0.74±0.08	1.30±0.05
		[0.38, 0.55]	[0.26, 0.30]	[0.70, 0.97]	[1.16, 1.41]
	major (N=3)	0.47±0.01	0.32±0.02	0.76±0.01	0.91±0.01
		[0.46, 0.48]	[0.30, 0.35]	[0.75, 0.77]	[0.91, 0.92]
<i>tanosy</i>	minor (N=4)	0.42±0.01	0.31±0.02	0.75±0.00	1.39±0.04
		[0.40, 0.43]	[0.30, 0.34]	[0.74, 0.76]	[1.36, 1.45]
	major (N=3)	0.44±0.00	0.31±0.01	0.75±0.01	1.18±0.03
		[0.43, 0.44]	[0.29, 0.32]	[0.73, 0.76]	[1.15, 1.20]

...continued on the next page

**Table 1.** (continued)

Species	Castes	ML/CS	MPH/ML	NOH/CS
<i>christi</i>	minor (N=28)	1.78±0.06	0.39±0.01	0.25±0.01
		[1.65, 1.89]	[0.36, 0.42]	[0.22, 0.28]
	major (N=3)	1.46±0.04	0.41±0.02	0.20±0.03
		[1.41, 1.50]	[0.40, 0.44]	[0.17, 0.22]
<i>dromedarius</i>	minor (N=37)	1.74±0.08	0.46±0.01	0.24±0.02
		[1.51, 1.89]	[0.42, 0.48]	[0.20, 0.28]
	major (N=6)	1.54±0.07	0.45±0.01	0.22±0.03
		[1.45, 1.62]	[0.44, 0.46]	[0.19, 0.25]
<i>foersteri</i>	minor (N=34)	1.73±0.09	0.38±0.03	0.24±0.02
		[1.27, 1.81]	[0.35, 0.50]	[0.21, 0.27]
	major (N=3)	1.37±0.15	0.43±0.04	0.20±0.01
		[1.20, 1.48]	[0.40, 0.47]	[0.20, 0.21]
<i>lamosy</i>	minor (N=20)	1.79±0.03	0.44±0.01	0.29±0.01
		[1.74, 1.87]	[0.41, 0.47]	[0.27, 0.31]
	major (N=2)	1.41±0.03	0.45±0.01	0.23±0.01
		[1.39, 1.43]	[0.44, 0.45]	[0.23, 0.24]
<i>liandia</i>	minor (N=13)	1.62±0.05	0.38±0.02	0.24±0.02
		[1.51, 1.68]	[0.36, 0.41]	[0.20, 0.26]
	major (N=2)	1.33±0.08	0.42±0.00	0.20±0.01
		[1.27, 1.39]	[0.41, 0.42]	[0.19, 0.21]
<i>lubbocki</i>	minor (N=16)	1.64±0.05	0.38±0.02	0.20±0.02
		[1.55, 1.74]	[0.36, 0.42]	[0.17, 0.23]
	major (N=3)	1.32±0.06	0.43±0.02	0.18±0.01
		[1.27, 1.38]	[0.42, 0.45]	[0.17, 0.19]
<i>maculiventris</i>	minor (N=51)	1.66±0.10	0.41±0.02	0.23±0.02
		[1.34, 1.85]	[0.38, 0.44]	[0.17, 0.28]
	major (N=10)	1.48±0.17	0.42±0.03	0.24±0.04
		[1.34, 1.80]	[0.38, 0.46]	[0.18, 0.31]
<i>mainty</i>	minor (N=38)	1.69±0.07	0.40±0.01	0.24±0.02
		[1.32, 1.76]	[0.36, 0.43]	[0.20, 0.28]
	major (N=10)	1.48±0.12	0.40±0.02	0.21±0.02
		[1.33, 1.70]	[0.37, 0.43]	[0.18, 0.24]
<i>manabo</i>	minor (N=17)	1.63±0.05	0.43±0.01	0.22±0.01
		[1.54, 1.70]	[0.41, 0.46]	[0.19, 0.24]
<i>pulcher</i>	minor (N=7)	1.76±0.06	0.47±0.01	0.24±0.02
		[1.63, 1.81]	[0.45, 0.49]	[0.21, 0.25]
	major (N=2)	1.44±0.03	0.46±0.01	0.19±0.00
		[1.42, 1.46]	[0.45, 0.46]	[0.19, 0.19]
<i>raina</i>	minor (N=16)	1.89±0.09	0.45±0.01	0.28±0.02
		[1.62, 1.99]	[0.44, 0.47]	[0.24, 0.30]
	major (N=6)	1.43±0.04	0.46±0.01	0.23±0.02
		[1.37, 1.46]	[0.45, 0.47]	[0.20, 0.25]
<i>repens</i>	minor (N=22)	1.66±0.05	0.38±0.01	0.22±0.01
		[1.50, 1.74]	[0.35, 0.40]	[0.19, 0.25]
	major (N=5)	1.37±0.06	0.41±0.01	0.22±0.01
		[1.31, 1.45]	[0.39, 0.42]	[0.21, 0.23]
<i>sada</i>	minor (N=20)	1.79±0.16	0.37±0.04	0.25±0.02
		[1.35, 2.04]	[0.34, 0.50]	[0.23, 0.30]
	major (N=3)	1.34±0.01	0.36±0.09	0.20±0.01
		[1.33, 1.35]	[0.26, 0.41]	[0.19, 0.22]
<i>tanosy</i>	minor (N=4)	1.81±0.05	0.41±0.01	0.28±0.01
		[1.76, 1.89]	[0.40, 0.42]	[0.27, 0.30]
	major (N=3)	1.57±0.03	0.40±0.01	0.24±0.01
		[1.53, 1.59]	[0.40, 0.41]	[0.23, 0.26]